



# UNITED STATES PATENT AND TRADEMARK OFFICE

A

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/842,189	04/26/2001	Masaki Mukai	2001-0510A	7261
513	7590	10/06/2005		
WENDEROTH, LIND & PONACK, L.L.P. 2033 K STREET N. W. SUITE 800 WASHINGTON, DC 20006-1021			EXAMINER CHANG, JUNGWON	
			ART UNIT 2154	PAPER NUMBER

DATE MAILED: 10/06/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<p align="center"><b>Office Action Summary</b></p>	<p>Application No.</p> <p align="center">09/842,189</p>	<p>Applicant(s)</p> <p align="center">MUKAI ET AL.</p>	
	<p>Examiner</p> <p align="center">Jungwon Chang</p>	<p>Art Unit</p> <p align="center">2154</p>	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 July 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 27-50 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 27-50 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

*AT*

**FINAL ACTION**

1. This Action is in response to Amendment filed on 7//24/05, which has been fully considered.
2. Amended claims 27-50 are presented for examination.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 27-29, 32, 36, 39, 40, 44, 47** are rejected under 35 U.S.C. 103(a) as being obvious over Xydis (US 6,307,471 B1), hereinafter Xydis, in view of Wu (US 6,826,718 B1).
5. As for claims 27 and 39, Xydis discloses an information terminal for performing radio communication with an information processing apparatus comprising:  
a first input unit (keyboard, 26; mouse, 28, fig. 1) having at least one alphanumeric key button (keyboard, 26, fig. 1) operable to accept a manual key entry (col. 4, lines 59-61; col. 5, lines 56-59; col. 6, lines 55-58) and a pointing device (mouse, 28, fig. 1) operable to accept a manual coordinate entry (col. 4, lines 59-61; col. 5, lines

Art Unit: 2154

56-59; col. 6, lines 55-58) and to output a signal (display, 14, fig. 1; antenna 18', Fig. 3; col. 2, line 66 – col. 3, line 65);

a processing unit operable to process the signal outputted from said first input unit and to generate an output signal (processor 24', Fig. 3; col. 2, line 66 – col. 3, line 65); and

a communication unit operable to convert the output signal and to transmit the converted signal to the information processing apparatus (measurement device 20', Fig. 3; col. 2, line 66 – col. 3, line 65);

wherein said information terminal is operable to disable one of a start or a function of the information processing apparatus responsive to the manual key entry or the manual coordinate entry (col. 3, line 22 – col. 4, line 11; col. 4, lines 59-61; col. 5, lines 56-59; col. 6, lines 55-58).

6. Xydis discloses output a signal (display, 14, fig. 1; antenna 18', Fig. 3; col. 2, line 66 – col. 3, line 65) that is inherently responsive to the input from the keyboard or the pointing device, as would be understood by one of ordinary skill in the art. Xydis does not explicitly disclose first input unit being operable to output a signal. Wu discloses first input unit (706, 724, fig. 7; keyboard, 308, fig. 3; keyboard 308 preferably includes an alphanumeric keyboard and other manual data entry device, such as mouse or joystick; col. 5, lines 59-65) being operable to output a signal (724, fig. 7; 306, fig. 3) (col. 7, lines 23-28; client computer permits mouse click entries and shortcut keys to change the display of data...in response to use of a mouse to double-click a number in

the display; col. 10, lines 43-64; the user input corresponds to a request to change the switch for which data is currently display; col. 11, lines 9-14; in response to the user input 724, the display is updated appropriately; col. 11, lines 15-25). It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Xydis and Wu because Wu's input unit being operable to output would allow the client to display updated data in response to a detected user input (Wu, col. 10, line 43 – col. 11, line 25).

7. As for claims 28 and 40, Xydis discloses the apparatus and method of claims 27 and 39 for performing radio communication with said information terminal, wherein said information processing apparatus comprises:

- a transmitting and receiving unit operable to perform radio communication with said information terminal (antenna 19', Fig. 3);

- a locking unit operable to disable one of a start or a function of said information processing apparatus (col. 1, lines 27-36; col. 3, lines 22-65);

- one of a radio field strength detector operable to measure a field strength of a received signal transmitted from said information terminal or a location detector operable to detect a location of said information processing apparatus (measurement device 21', Fig. 3); and

- an out-of-range determining and informing unit operable to judge one of the measured field strength of the received signal or the detected location of said information processing apparatus, and to output a notice signal to said locking unit

when one of the measured field strength of the received signal or the detected location of the information processing apparatus is out of a predetermined range (col. 3, lines 22-65);

wherein said locking unit is operable to be activated by one of the manual entry accepted by said first input unit or the notice signal (col. 3, lines 22-65).

8. As for claim 29, Xydis discloses the information processing apparatus according to claim 28, further comprising:

a function determining unit operable to determine a command included in a signal transmitted from said information terminal through said transmitting and receiving unit of said information processing apparatus (col. 3, line 66 – col. 4, line 11);

a password setting unit operable to set a password that is transmitted from said information terminal through said function determining unit (inherent for setting passwords stored in user code database, as understood by one of ordinary skill in the art; col. 3, line 66 – col. 4, line 11);

a password memory operable to store a password through said password setting unit (user code database; col. 3, line 66 – col. 4, line 11); and

an unlocking unit operable to enable one of a start or a function of said information processing apparatus (col. 3, line 38 – col. 4, line 41);

wherein said unlocking unit is operable to be activated when the password stored in said password memory is matched with a password received from said communication unit of said information terminal (col. 3, line 66 – col. 4, line 41).

9. As for claim 32, Xydis discloses the information terminal according to claim 27, further comprising:

a display unit operable to display at least one of an image or text by processing a received signal transmitted from said information processing apparatus through said processing unit (display, Fig. 3);

a locking unit operable to disable one of a start or a function of said information terminal or to disable at least one of said first input unit or said display unit of said information terminal (col. 3, lines 22-65);

a radio field strength detector operable to measure a field strength of the received signal transmitted from said information processing apparatus (measurement device 21', Fig. 3; col. 2, line 66 – col. 3, line 65); and

an out-of-range determining and informing unit operable to judge the measured field strength of the received signal transmitted from said information processing apparatus and to output a notice signal to said locking unit of said information terminal so as to activate said locking unit of said information terminal when the measured field strength of the received signal transmitted from the information processing apparatus is out of a predetermined range (col. 3, lines 22-65).

10. As for claim 36, it is rejected for the same reasons set forth in claim 27 above. In addition, Xydis discloses an information processing system including an information terminal and an information processing apparatus which are operable to perform radio communication with each other, wherein:

said information terminal comprises

a first input unit (keyboard, 26; mouse, 28, fig. 1) having at least one alphanumeric key button (keyboard, 26, fig. 1) operable to accept a manual key entry (col. 4, lines 59-61; col. 5, lines 56-59; col. 6, lines 55-58) and a pointing device (mouse, 28, fig. 1) operable to accept a manual coordinate entry (col. 4, lines 59-61; col. 5, lines 56-59; col. 6, lines 55-58) and to output a signal (display, 14, fig. 1; antenna 18', Fig. 3; col. 2, line 66 – col. 3, line 65);

a processing unit operable to process the signal outputted from said first input unit and to generate an output signal (processor 24', Fig. 3; col. 2, line 66 – col. 3, line 65); and

a communication unit operable to convert the output signal and to transmit the converted signal to the information processing apparatus (measurement device 20', Fig. 3; col. 2, line 66 – col. 3, line 65); and

said information processing apparatus comprises

a locking unit operable to disable one of a start or a function of said information processing apparatus (col. 1, lines 27-36; col. 3, lines 22-65);

wherein said information terminal is operable to disable one of a start or a function of the information processing apparatus responsive to the input operation (col. 3, lines 22-65);

one of a field strength detector operable to measure a field strength of a received signal transmitted from said information terminal or a location detector operable to



detect a location of said information processing apparatus (measurement device 21', Fig. 3); and

an out-of-range determining and informing unit operable to judge one of the measured field strength of the received signal or the detected location of said information processing apparatus, and to output a notice signal to said locking unit when one of the measured field strength of the received signal or the detected location of the information processing apparatus is out of a predetermined range (col. 3, lines 22-65);

wherein said locking unit of said information processing apparatus is operable to be activated by one of the *input operation* accepted by said first input unit or the notice signal outputted from said out-of-range determining and informing unit of said information processing apparatus (col. 3, lines 22-65).

11. As for claim 44, it is rejected for the same reasons set forth in claim 27 above. In addition, Xydis discloses a control method for an information processing apparatus for controlling an information terminal and an information processing apparatus to mutually perform communication with each other, wherein:

in the information processing apparatus; said control method comprises receiving a radio signal transmitted from the information terminal (signal 10, Fig. 2; col. 3, lines 13-21),

outputting a notice signal responsive to at least one of a field strength of the

received radio signal transmitted from the information terminal or a location of the information processing apparatus (signal from measurement device 20, Fig. 2; col. 3, lines 38-65), and

disabling one of a start or a function of the information processing apparatus responsive to the notice signal outputted in said outputting of the notice signal (col. 3, lines 38-65); and

in the information terminal, said control method comprises

processing the signal outputted in said outputting of the signal responsive to the *input operation* inputted to the information terminal, and generating an output signal (col. 3, lines 22-65),

converting the output signal and transmitting the converted signal to the information processing apparatus (col. 3, lines 22-65), and

disabling one of a start or a function of the information processing apparatus responsive to the *input operation* inputted to the termination terminal (col. 3, lines 38-65).

12. As for claim 47, Xydis discloses a control method for an information processing system according to claim 44, wherein, in the information processing apparatus, said control method comprises:

measuring a field strength of a received signal transmitted from the information terminal (col. 2, line 66 – col. 3, line 65),

judging the measured field strength of the received signal and outputting a notice

signal when the measured field strength of the received signal is judged to be out of a predetermined range (col. 2, line 66 – col. 3, line 65), and

disabling one of a start function of the information processing apparatus responsive to the notice signal outputted in said outputting of the notice signal (col. 2, line 66 – col. 3, line 65).

13. **Claims 30, 31, 33, 34, 37, 41, 42, 45, 49 and 50** are rejected under 35 U.S.C. 103(a) as being unpatentable over Xydis in view of Wu and in further view of O'Mahony (US 6,457,129 B2) (hereinafter O'Mahony).

14. Claims 30, 31, 33, 34, 37, 41, 42, 45, 49 and 50 are rejected for the same reasons as claims 27-29, 32, 36, 39, 40, 44, 47 under 35 U.S.C. 103(a) above. The

15. Examiner further notes that Xydis teaches a second input for accepting a manual entry at the information processing apparatus (keyboard 26 and mouse 28, Fig. 2). However, Xydis does not specifically disclose a location detector for detecting a position by using a global positioning system. O'Mahony teaches a location detector for detecting a position by using a global positioning system and an out-of-range determining unit for determining when an apparatus is out of a predetermined range (col. 2, lines 3-12; Fig. 4). O'Mahony further teaches locking the system in response to a signal from the out-of-range determining unit (col. 5, lines 18-30; Fig. 5) and a range memory for storing range information (memory 203, Fig. 2; col. 2, lines 46-52).

O'Mahony provides a different solution to the same fundamental problem solved by Xydis: controlling access to a computer system based on the location of the user. It would have been obvious to one of ordinary skill in the art to modify Xydis by using a global positioning system for detecting a position and an out-of-range determining unit for determining when an apparatus is out of a predetermined range, because this would allow for controlling access to a computer system based on a user location, as taught by O'Mahony (col. 2, lines 3-12, "A method and apparatus...the authorized location.").

16. **Claims 35, 38, 43, 46 and 48** are rejected under 35 U.S.C. 103(a) as being unpatentable over Xydis in view of Wu and in further view of Doub et al. (US 6,549,762 B1) (hereinafter Doub).

17. Claims 35, 38, 43, 46 and 48 are rejected for the same reasons as claims 27-29, 32, 36, 39, 40, 44, 47 under 35 U.S.C. 103(a) above. Xydis teaches a function selector and method for selecting, determining and accepting an unlocking or locking operation (col. 3, line 66 – col. 4, line 11). However, Xydis does not specifically disclose a password setting unit in the information terminal operable to receive and set a password as further recited in the claims. Doub teaches a password setting unit in an information terminal operable to receive and set a password (col. 4, lines 26-37). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Xydis by using a password setting unit in the information terminal operable to receive

and set a password in order to improve security and convenience in electronic device displays, as taught by Doub (col. 1, lines 38-46).

***Response to Arguments***

18. Applicant's arguments with respect to the prior art rejection of claims 27-50 have been considered but are moot in view of the new ground(s) of rejection.

19. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

20. Any inquiry concerning this communication or earlier communications from the

Art Unit: 2154

examiner should be directed to Jungwon Chang whose telephone number is 571-272-3960. The examiner can normally be reached on 9:30-6:00 (Monday-Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A Follansbee can be reached on 571-272-3964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Jungwon Chang', with a stylized, cursive script.

Jungwon Chang  
September 30, 2005